

CRAMMIX BRICKS

Quality Clay Bricks since 1947




[HOME](#) | [ABOUT US](#) | [PRODUCTS](#) | [MANUFACTURING](#) | [GALLERY](#) | [SUSTAINABILITY](#) | [EXPORTS](#) | [FAQ'S](#) | [LINKS](#) | [DOWNLOADS](#) | [NEWS](#) | [CONTACT](#)

EXPORTS



SABS
ISO 9001

- Quality Standards
- Quality Service
- Shipping Logistics
- Important Info
- Product Options
- Export Team
- Conditions of Sales



South Africa



Committed to World-Class Supply

The Crammix commitment to 'supply world-class clay brick products' extends to all corners of the globe. For almost three decades our clay face and paving bricks have been distributed to countries as far afield as Japan. Our manufacturing facilities are also geared for the growing movement into Africa.

Crammix clay brick products have been tested to stringent international quality standards, and meet the criteria of those countries where high-performance building materials are required. In terms of colour, shape and size our clay face bricks and pavers are manufactured to satisfy most design requirements.

We welcome enquiries from abroad, and have the infrastructure in place to supply our standard range and most other extraordinary design requirements.

All products are supplied according to our standard export terms and conditions of sale. Special conditions may also be considered in the interest of both parties.

Please feel free to contact a member of our team to assist with your requirements.



Crammix Export Team (from left - right)

Front: Wayne Burton (Operations Manager), Clive Archer (Managing Director)
Middle: Mark Cloete (Financial), Anita Botbyl (Planning & Distribution), Pamela Tertiens (Debtors), Bernie Rumble (Director), Helene van Hansen (Sales Secretary), Alex Woodman (Production)
Back: Cobus Bosch (Sales), Robbie Northcote (Sales & Marketing)

Contact Us

Tel: +27 21 981-2115 • Fax: +27 21 981-4520 • Email: bricks@crammix.co.za

Quality Standards

All Crammix clay brick products are manufactured to the highest specifications, as outlined by the South African Bureau of Standards (SABS). Our products align closely with international norms for face bricks and pavers, and when tested, have met the performance criteria of both the British and American standards, in terms of frost resistance, abrasion, and other harsh environmental conditions.

This commitment to quality starts with our manufacturing systems and operations, which conform to the internationally recognised ISO 9001 management system.

For more information please do not hesitate to contact a member of our team.

Quality Service

As a Crammix customer, you have peace of mind. With more than three decades of experience, we have sufficient expertise to provide clay brick products that are best suited to specific project requirements.

Our dedicated team is on hand to offer professional assistance, after sales service and technical support. We also have a series of technical information brochures, which are available on request, or via the Crammix website.

As a proud member of the Clay Brick Association, the industry body that sets and maintains the standard of clay brick manufacture in South Africa, we abide to the code of practice as stipulated by this organisation.

We also align ourselves with global trends through regular liaison with industry bodies and fellow brick manufacturers from other parts of the world, particularly with regard to product performance, life cycle and sustainability issues.

Shipping Logistics

The enclosed table serves to inform our valued clients of the unit volumes and stacking capacity of our standard range of clay face bricks, plaster bricks and cobbles per standard 20' container.

Product Options

Products		20' Containers	Approx. Qty per Container
FACE BRICKS	Standard S.A. sizes (222 x 106 x 73mm)	18 Stacks	7 740 Units

Products		20' Containers	Approx. Qty per Container
PAVING BRICKS	Standard S.A. sizes (200 x 100 x 50mm)	16 Stacks	10 400 Units

Products		20' Containers	Approx. Qty per Container
HANDMADE COBBLES	(100 x 100 x 73mm)	24 Stacks	14 400 Units
	(100 x 100 x 50mm)	32 Stacks	19 200Units

Delivery time is based on shipping routes, destinations and demands.

All shipping estimates are calculated according to weight, distance and destination. The delivery time varies according to shipping logistics as well as the manufacturing process and volume required. All estimates can only be calculated on confirmed order specifications.

Quotations can be presented ex factory, FOB Cape Town or CIF (ex Cape Town).

Payment terms include cash with order, irrevocable LOC or other internationally approved guarantees as negotiated.

For more information please do not hesitate to contact us.

Important Info

For specific enquiries, please e-mail us your contact details including your name, international dialing code, telephone number, and one of our Sales Representatives will contact you.

Email: bricks@crammix.co.za

Approximate delivery times are dependent on destination distance to nearest port. Average time is, however, 5-6 weeks from order. Accurate costings can only be calculated from the order specifications.

Quotes provided either:

- Ex factory
- FOB Cape Town
- CIF (Ex Cape Town)

Payment terms:

- Cash with order
- Irrevocable LOC
- Other options agreement

Manufactured in accordance with specifications as laid out in S.A. Bureau of Standards 227 - Burnt Clay Masonry Units and SABS 1575 - Burnt Clay Paving Units.

For details please refer to the [product range](#) page.

Conditions of Sale

Export Terms & Conditions

All our products are manufactured to the highest South African standards including SABS 227 for Burnt Clay masonry and SABS 1575 for Clay Paving units. Our products have been tested internationally and comply with both British and American standards. For more information please contact any member of our expert team.

Export terms and conditions will be based on individual requirements.